

L Number	Hits	Search Text	DB	Time stamp
1	1	5706063.pn. and white	USPAT; US-PGPUB; EPO; JPO	2003/09/16 18:18
2	682218	color or colored	USPAT; US-PGPUB; EPO; JPO	2003/09/16 18:18
3	1	(5706063.pn. and white) and (color or colored)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 18:21
4	1	R AND G AND B AND ((5706063.pn. and white) and (color or colored))	USPAT; US-PGPUB; EPO; JPO	2003/09/16 18:27
5	0	ferroelectric and (R AND G AND B AND ((5706063.pn. and white) and (color or colored)))	USPAT; US-PGPUB; EPO; JPO	2003/09/16 18:34
6	120832	reflective	USPAT; US-PGPUB; EPO; JPO	2003/09/16 18:34
7	1	reflective and 5706063.pn.	USPAT; US-PGPUB; EPO; JPO	2003/09/16 18:34
-	368	false near7 contour	USPAT; US-PGPUB; EPO; JPO	2003/09/12 16:44
-	9096	MSB and LSB	USPAT; US-PGPUB; EPO; JPO	2003/09/12 16:44
-	11	(false near7 contour) and (MSB and LSB)	USPAT; US-PGPUB; EPO; JPO	2003/09/12 17:13
-	59793	first near7 panel	USPAT; US-PGPUB; EPO; JPO	2003/09/12 17:13
-	51996	second near7 panel	USPAT; US-PGPUB; EPO; JPO	2003/09/12 17:14
-	53806	first near5 (wave or wavelength)	USPAT; US-PGPUB; EPO; JPO	2003/09/12 17:14
-	49904	second near5 (wave or wavelength)	USPAT; US-PGPUB; EPO; JPO	2003/09/12 17:14
-	41529	beam near5 splitter	USPAT; US-PGPUB; EPO; JPO	2003/09/12 17:15
-	46	(first near7 panel) and (second near7 panel) and (first near5 (wave or wavelength)) and (second near5 (wave or wavelength)) and (beam near5 splitter)	USPAT; US-PGPUB; EPO; JPO	2003/09/12 17:44
-	121622	first near5 path	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:56
-	109900	second near5 path	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:56
-	985311	optical	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:57
-	57002	most near significant	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:57
-	64156	most near5 significant	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:57
-	50328	least near5 significant	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:57

-	752994	reverse\$4	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:57
-	8389	(first near5 path) same (second near5 path) same optical	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:58
-	21341	(most near5 significant) same (least near5 significant)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:58
-	543	reverse\$4 same ((most near5 significant) same (least near5 significant))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:58
-	1	(reverse\$4 same ((most near5 significant) same (least near5 significant))) and ((first near5 path) same (second near5 path) same optical)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 13:59
-	35	((first near5 path) same (second near5 path) same optical) and ((most near5 significant) same (least near5 significant))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:26
-	70494	first near5 (display or scren)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 14:33
-	59952	second near5 (display or scren)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 14:34
-	418229	projector or projection	USPAT; US-PGPUB; EPO; JPO	2003/09/15 14:40
-	6234	(first near5 (display or scren)) and (second near5 (display or scren)) and (projector or projection)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:32
-	1889	reverse\$4 and ((first near5 (display or scren)) and (second near5 (display or scren)) and (projector or projection))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:27
-	167	(first near5 path) and (reverse\$4 and ((first near5 (display or scren)) and (second near5 (display or scren)) and (projector or projection))) and (second near5 path)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:27
-	34	345/\$.ccls. and ((first near5 path) and (reverse\$4 and ((first near5 (display or scren)) and (second near5 (display or scren)) and (projector or projection))) and (second near5 path))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:29
-	9098	LSB and MSB	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:29
-	29170	((most near5 significant) and (least near5 significant)) or (LSB and MSB)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:38
-	6	((first near5 path) and (reverse\$4 and ((first near5 (display or scren)) and (second near5 (display or scren)) and (projector or projection))) and (second near5 path)) and (((most near5 significant) and (least near5 significant)) or (LSB and MSB))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:30
-	755	(first near5 (display or scren)) same (second near5 (display or scren)) same (projector or projection)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:32
-	3	((((most near5 significant) and (least near5 significant)) or (LSB and MSB)) and ((first near5 (display or scren)) same (second near5 (display or scren)) same (projector or projection)))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:34
-	3908	reverse near5 display	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:34
-	1050	(reverse near5 display) and (first near5 (display or scren)) and (second near5 (display or scren))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:35
-	30	((reverse near5 display) and (first near5 (display or scren)) and (second near5 (display or scren))) and (((most near5 significant) and (least near5 significant)) or (LSB and MSB))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:37
-	582	false with contour\$1	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:37

-	25134	((most near5 significant) same (least near5 significant)) or (LSB and MSB)	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:38
-	33	(false with contour\$1) and (((most near5 significant) same (least near5 significant)) or (LSB and MSB))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 15:38
-	7	((false with contour\$1) and (((most near5 significant) same (least near5 significant)) or (LSB and MSB))) and reverse\$4	USPAT; US-PGPUB; EPO; JPO	2003/09/15 16:35
-	47336	first near4 panel	USPAT; US-PGPUB; EPO; JPO	2003/09/15 16:35
-	41461	second near4 panel	USPAT; US-PGPUB; EPO; JPO	2003/09/15 16:36
-	84123	((first near5 (display or screen)) same (second near5 (display or screen))) or ((first near4 panel) or (second near4 panel))	USPAT; US-PGPUB; EPO; JPO	2003/09/15 16:37
-	10387	reverse\$4 with bit\$1	USPAT; US-PGPUB; EPO; JPO	2003/09/15 16:37
-	8	((first near5 (display or screen)) same (second near5 (display or screen))) or ((first near4 panel) or (second near4 panel))) same (reverse\$4 with bit\$1)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:01
-	349	false near5 contour	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:04
-	41596	beam near5 splitter	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:02
-	137398	first near5 (panel or display or screen)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:02
-	117611	second near5 (panel or screen or display)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:03
-	0	(false near5 contour) and (beam near5 splitter) and (first near5 (panel or display or screen)) and (second near5 (panel or screen or display))	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:03
-	7	(false near5 contour) and (beam near5 splitter)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:03
-	431	false with contour	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:06
-	10	(false with contour) and (beam near5 splitter)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:05
-	3	((false with contour) and (beam near5 splitter)) not ((false near5 contour) and (beam near5 splitter))	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:05
-	582	false with contour\$1	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:06
-	582	false\$1 with contour\$1	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:06
-	10	(false\$1 with contour\$1) and (beam near5 splitter)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:06
-	16	(US-6025818-\$ or US-6134025-\$ or US-6052112-\$ or US-5909204-\$ or US-5854540-\$ or US-6540361-\$ or US-6478429-\$ or US-6380997-\$ or US-6331879-\$ or US-6186629-\$ or US-6005655-\$ or US-5986640-\$ or US-6333766-\$ or US-6108122-\$ or US-6100939-\$).did. or (US-20010028423-\$).did.	USPAT; US-PGPUB	2003/09/16 12:07

-	8	((US-6025818-\$ or US-6134025-\$ or US-6052112-\$ or US-5909204-\$ or US-5854540-\$ or US-6540361-\$ or US-6478429-\$ or US-6380997-\$ or US-6331879-\$ or US-6186629-\$ or US-6005655-\$ or US-5986640-\$ or US-6333766-\$ or US-6108122-\$ or US-6100939-\$).did. or (US-20010028423-\$).did.) and (false near5 contour)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:13
-	420924	projection or projector\$1	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:14
-	25	(projection or projector\$1) and (false near5 contour)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 12:20
-	7	(beam near5 splitter) and ((US-6025818-\$ or US-6134025-\$ or US-6052112-\$ or US-5909204-\$ or US-5854540-\$ or US-6540361-\$ or US-6478429-\$ or US-6380997-\$ or US-6331879-\$ or US-6186629-\$ or US-6005655-\$ or US-5986640-\$ or US-6333766-\$ or US-6108122-\$ or US-6100939-\$).did. or (US-20010028423-\$).did.)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 13:34
-	480	optical near7 illusion	USPAT; US-PGPUB; EPO; JPO	2003/09/16 13:38
-	17932	bit\$1 near7 conversion	USPAT; US-PGPUB; EPO; JPO	2003/09/16 14:04
-	18407	(optical near7 illusion) or (bit\$1 near7 conversion)	USPAT; US-PGPUB; EPO; JPO	2003/09/16 14:04
-	5	(beam near5 splitter) same ((optical near7 illusion) or (bit\$1 near7 conversion))	USPAT; US-PGPUB; EPO; JPO	2003/09/16 14:08
-	1	5963190.pn.	USPAT; US-PGPUB; EPO; JPO	2003/09/16 14:17
-	2	6052112.pn. or 6088012.pn.	USPAT; US-PGPUB; EPO; JPO	2003/09/16 14:18
-	2	6100939.pn. or 6018329.pn.	USPAT; US-PGPUB; EPO; JPO	2003/09/16 14:19
-	3	4574636.pn. or 6134025.pn. or 5706063.pn.	USPAT; US-PGPUB; EPO; JPO	2003/09/16 14:19